
FourReal® Flex

Design by Studio Ocee





FourReal® Flex

Design by Studio Ocee

Product options

VARIATIONS


(Integrated castors on two legs): 120 x 120 cm 140 x 140 cm 160 x 160 cm 180 x 120 cm 200 x 140 cm 240 x 120 cm 240 x 120 cm 240 x 160 cm

ACCESSORIES

Paper roll holder Chair suspension Cable net Cable duct (aluminium) Linking device Acoustic panels Tray Power cube

TABLE TOP FINISHES









Black Arpa Fenix Nano 0720







Antracit Arpa Fenix Nano 0724

Black 4023 Linoleum

FRAME COLOUR



Stone Grey RAL 7039





Meet FourReal® Flex, an innovative addition to our table collection, designed for dynamic workspaces. perfect for flexibility, the FourReal® Flex effortlessly accommodates diverse work scenarios, making it the perfect fit for solo tasks, team meetings, and collaborative projects alike. Its versatility shines through, supporting various seating choices from soft seating to task chairs and benches. Customise with optional wooden trays, acoustic panels, power cubes, and cable nets for a functional and aesthetically pleasing workspace.



Tecnical specifications

WEIGHT

120 x 120 cm: 37,8 kg 140 x 140 cm: 47,3 kg 160 x 160 cm: 57,7 kg 180 x 120 cm: 43,6 kg 200 x 140 cm: 54,2 kg 240 x 120 cm: 65,7 kg 240 x 140 cm: 73,4 kg 240 x 160 cm: 81,2 kg

CHAIR SUSPENSION

Maximum qty pr. size: 120 x 120 cm: 4 set 140 x 140 cm: 4 set 160 x 160 cm: 4 set 180 x 120 cm: 6 set 200 x 140 cm: 6 set 240 x 120 cm: 8 set 240 x 140 cm: 8 set 240 x 160 cm: 8 set

CABLE NET

Maximum qty pr. size: 120 x 120 cm: 1 pc 140 x 140 cm: 1 pc 160 x 160 cm: 1 pc 180 x 120 cm: 1 pc 200 x 140 cm: 2 pcs 240 x 120 cm: 2 pcs 240 x 140 cm: 2 pcs 240 x 160 cm: 2 pcs

TEST

EN 15372:2016 - L2

CERTIFICATION

Compliant with TSCA Title VI

Materials

TABLE TOP

Decor: Chip board with decor laminate and ABS-edge. Thickness: 19 mm.

Laminate: Chip board with high-pressure laminate or Fenix laminate and ABS-edge. Thickness 20 mm.

Linoleum: Chip board with linoleum and ABS-edge. Thickness 21 mm.

FRAME, STEEL

Powder coated steel frame.

Legs: Ø32 x 2.5 mm, S235 steel, EN 10305-3 F300C


Beam: 80x50x1.5 mm RHS profile beam, S235 steel

Gliders and gliders with integrated castors: LDPE




Dimensions


120 x 120 cm




160 x 160 cm




200 x 140 cm




240 x 140 cm




140 x 140 cm




180 x 120 cm



240 x 120 cm



240 x 160 cm





Environmental data

Product environmental data can assist you in meeting the requirements for LEED, BREEAM, WELL, and SKA building

FOURREAL® FLEX 120 X 120 CM







RECYCLABILITY

47 %

CARBON FOOTPRINT

Kg CO₂e per unit





FOURREAL® FLEX 140 X 140 CM



RECYCLED CONTENT


RECYCLABILITY

41 %

CARBON FOOTPRINT

Kg CO₂e per unit

MATERIAL BREAKDOWN



FOURREAL® FLEX 160 X 160 CM



RECYCLED CONTENT

46 %

RECYCLABILITY

CARBON FOOTPRINT

 ${\rm Kg~CO_2}{\rm e~per~unit}$

MATERIAL BREAKDOWN



FOURREAL® FLEX 180 X 120 CM



RECYCLED CONTENT

44 %

RECYCLABILITY

41 %





RECYCLED CONTENT

45 %

RECYCLABILITY

38 %

CARBON FOOTPRINT


 ${\rm Kg~CO_2}{\rm e~per~unit}$

CARBON FOOTPRINT

MATERIAL BREAKDOWN



MATERIAL BREAKDOWN





FOURREAL® FLEX 240 X 120 CM



RECYCLED CONTENT

45 %

RECYCLABILITY

38 %

CARBON FOOTPRINT

Kg CO₂e per unit

MATERIAL BREAKDOWN



FOURREAL® FLEX 240 X 140 CM



RECYCLED CONTENT

46 %

RECYCLABILITY

36 %

CARBON FOOTPRINT

Kg CO₂e per unit

MATERIAL BREAKDOWN



FOURREAL® FLEX 240 X 160 CM



RECYCLED CONTENT

47 %

RECYCLABILITY

33 %

CARBON FOOTPRINT

Kg CO₂e per unit

MATERIAL BREAKDOWN





CARBON FOOTPRINT

The carbon footprint (CO_2e) covers the full product life cycle, cradle-to-grave. Calculations follow the Product Environmental Footprint (PEF) methodology and are obtained using the MALBAR screening tool.

Quality and environment

At Ocee & Four Design, we care about sustainability. We strive to reduce our impact by producing quality furniture in a sustainable manner. Find out more about our journey on Oceefour.com ↗

COMPANY CERTIFICATIONS

ISO 9001 ISO 14001 FSC Chain of Custody (License Code: FSC-C161956) FISP Full Membership

WARRANTY

Ocee & Four Design provides a 5-year warranty on all

products within our price list. This warranty covers breakage and damage of products occurring because of deficient craftsmanship performance under normal use. The warranty shall lapse if the product shows signs of mishandling abuse or other physical damage.

The warranty does not cover those parts of the product which are exposed to abrasion during use.

INSTRUCTIONS

Assembly instructions can be found at our website.

MAINTENANCE Refer to our

<u>Maintenance Guide</u> **↗**

DISASSEMBLY & RECYCLING

Products should be disassembled and separated into their components and materials before recycling. Most products can be disassembled using hand tools. Metal parts are commonly recycled. Powder coated frames are treated with a paint classified as not dangerous according to directive 1999/45/EF. Wood can either be recycled or incinerated. Plastic shells

can be recycled. Upholstery and veneer shells are not recyclable but can be disposed of through incineration. Processes for recycling vary so check with your waste management organisation.

TAKE BACK SCHEME

Extend the life of your furniture! If you're in the UK, explore our

Take Back Scheme ↗

to dispose of your used items in a sustainable way.

