

FourReal[®] Flex

Design by Studio Ocee

FACT SHEET / TECHNICAL & ENVIRONMENTAL SPECIFICATION



FourReal® Flex

Design by Studio Ocee

Product options

VARIATIONS

(Integrated castors on two legs):
 120 x 120 cm
 140 x 140 cm
 160 x 160 cm
 180 x 120 cm
 200 x 140 cm
 240 x 120 cm
 240 x 140 cm
 240 x 160 cm

ACCESSORIES

Paper roll holder
 Chair suspension
 Cable net
 Cable duct (aluminium)
 Linking device
 Acoustic panels
 Tray
 Power Cube

TABLE TOP FINISHES

Please visit our price list for all table top colours
[Ocee & Four Price List UK](#) ↗

STANDARD FRAME COLOUR

● Mat Black
 RAL 7021

Please visit our price list for optional powder coating frame colours [Ocee & Four Price List UK](#) ↗



Meet FourReal® Flex, an innovative addition to our table collection, designed for dynamic workspaces. perfect for flexibility, the FourReal® Flex effortlessly accommodates diverse work scenarios, making it the perfect fit for solo tasks, team meetings, and collaborative projects alike. Its versatility shines through, supporting various seating choices from soft seating to task chairs and benches. Customise with optional wooden trays, acoustic panels, power cubes, and cable nets for a functional and aesthetically pleasing workspace.

Technical specifications

WEIGHT

120 x 120 cm: 37,8 kg
 140 x 140 cm: 47,3 kg
 160 x 160 cm : 57,7 kg
 180 x 120 cm: 43,6 kg
 200 x 140 cm: 54,2 kg
 240 x 120 cm: 65,7 kg
 240 x 140 cm: 73,4 kg
 240 x 160 cm: 81,2 kg

CHAIR SUSPENSION

Maximum qty pr. size:
 120 x 120 cm: 4 set
 140 x 140 cm: 4 set
 160 x 160 cm: 4 set
 180 x 120 cm: 6 set
 200 x 140 cm: 6 set
 240 x 120 cm: 8 set
 240 x 140 cm: 8 set
 240 x 160 cm: 8 set

CABLE NET

Maximum qty pr. size:
 120 x 120 cm: 1 pc
 140 x 140 cm: 1 pc
 160 x 160 cm: 1 pc
 180 x 120 cm: 1 pc
 200 x 140 cm: 2 pcs
 240 x 120 cm: 2 pcs
 240 x 140 cm: 2 pcs
 240 x 160 cm: 2 pcs

TEST

EN 15372:2016 - L2

CERTIFICATION

Compliant with TSCA Title VI

Materials

TABLE TOP

Decor: Chip board with decor laminate and ABS-edge. Thickness: 19 mm.

Laminate: Chip board with high-pressure laminate or Fenix laminate and ABS-edge. Thickness 20 mm.

Linoleum: Chip board with linoleum and ABS-edge. Thickness 21 mm.

FRAME, STEEL

Powder coated steel frame.


Legs: Ø32 x 2.5 mm, S235 steel, EN 10305-3 F300C

Beam: 80x50x1.5 mm RHS profile beam, S235 steel


Gliders and gliders with integrated castors: LDPE

Dimensions


120 x 120 cm




140 x 140 cm




160 x 160 cm




180 x 120 cm




200 x 140 cm




240 x 120 cm



240 x 140 cm



240 x 160 cm



Environmental data

Product environmental data can assist you in meeting the requirements for LEED, BREEAM, WELL, and SKA building certifications.

FOURREAL® FLEX 120 X 120 CM



RECYCLED CONTENT



RECYCLABILITY




CARBON FOOTPRINT

310

Kg CO₂e per unit

MATERIAL BREAKDOWN




FOURREAL® FLEX 140 X 140 CM



RECYCLED CONTENT



RECYCLABILITY




CARBON FOOTPRINT

380

Kg CO₂e per unit

MATERIAL BREAKDOWN




FOURREAL® FLEX 160 X 160 CM



RECYCLED CONTENT



RECYCLABILITY




CARBON FOOTPRINT

470

Kg CO₂e per unit

MATERIAL BREAKDOWN




FOURREAL® FLEX 180 X 120 CM



RECYCLED CONTENT



RECYCLABILITY



CARBON FOOTPRINT

420

Kg CO₂e per unit

MATERIAL BREAKDOWN




FOURREAL® FLEX 200 X 140 CM



RECYCLED CONTENT



RECYCLABILITY




CARBON FOOTPRINT

510

Kg CO₂e per unit

MATERIAL BREAKDOWN




FOURREAL® FLEX 240 X 120 CM**RECYCLED CONTENT**

45 %

RECYCLABILITY


38 %

CARBON FOOTPRINT**530**Kg CO₂e per unit**MATERIAL BREAKDOWN****FOURREAL® FLEX 240 X 140 CM****RECYCLED CONTENT**

46 %

RECYCLABILITY


36 %

CARBON FOOTPRINT**590**Kg CO₂e per unit**MATERIAL BREAKDOWN****FOURREAL® FLEX 240 X 160 CM****RECYCLED CONTENT**

47 %

RECYCLABILITY

33 %

CARBON FOOTPRINT**660**Kg CO₂e per unit**MATERIAL BREAKDOWN****📊 CARBON FOOTPRINT**

The carbon footprint (CO₂e) covers the full product life cycle, cradle-to-grave. Calculations follow the Product Environmental Footprint (PEF) methodology and are obtained using the MALBAR screening tool.

Quality and environment

At Ocee & Four Design, we care about sustainability. We strive to reduce our impact by producing quality furniture in a sustainable manner. Find out more about our journey on [Oceeandfour.com](https://oceeandfour.com) ↗

COMPANY CERTIFICATIONS
ISO 9001
ISO 14001
FSC Chain of Custody (License Code: FSC-C161956)
FISP Full Membership

WARRANTY
Ocee & Four Design provides a 5-year warranty on all

products within our price list. This warranty covers breakage and damage of products occurring because of deficient craftsmanship performance under normal use. The warranty shall lapse if the product shows signs of mishandling abuse or other physical damage.

The warranty does not cover those parts of the product which are exposed to abrasion during use.

INSTRUCTIONS
Assembly instructions can be found at our website.

MAINTENANCE
Refer to our [Maintenance Guide](#) ↗

DISASSEMBLY & RECYCLING
Products should be disassembled and separated into their components and materials before recycling. Most products can be disassembled using hand tools. Metal parts are commonly recycled. Powder coated frames are treated with a paint classified as not dangerous according to directive 1999/45/EF. Wood can either be recycled or incinerated. Plastic shells

can be recycled. Upholstery and veneer shells are not recyclable but can be disposed of through incineration. Processes for recycling vary so check with your waste management organisation.

TAKE BACK SCHEME
Extend the life of your furniture! If you're in the UK, explore our [Take Back Scheme](#) ↗ to dispose of your used items in a sustainable way.