

FourSure® 90

Design by Strand + Hvass

FACT SHEET / TECHNICAL & ENVIRONMENTAL SPECIFICATION



FourSure® 90

Design by Strand + Hvass

Product options

VARIATIONS

- Polypropylene shell
- Seat pad
- Inside upholstery
- Fully upholstered
- Wooden legs
- Outdoor
- EU Ecolabel

Polymide glides as standard

OPTIONAL

- Felt glides
- Teflon glides
- Grip hole

UPHOLSTERY

Can be upholstered in a broad range of upholstery fabrics, from our upholstery collection. Please visit our price list for further information.

SHELL COLOUR

-  Ebony Black
NCS S 9000-N
-  Anthracite
RAL 7015
-  Pine
NCS S 5005-B80G
-  Moss
NCS S 5010-G70Y
-  Terracotta
NCS S 4510-Y60R
-  Clay
NCS S 6005-Y10R
-  Aqua
NCS S 4020-B

-  Snow
RAL 9010
-  Beach
NCS S 2502-Y
-  Olive
NCS S 2040-G80Y
-  Orange
NCS S 2070-Y70R
-  Oriental Red
NCS S 1580-R
-  Jungle green
NCS 4050-G40Y

FRAME COLOUR

-  Mat Black
RAL 7021
-  Stone Grey
RAL 7039
-  Anthracite
RAL 7024 gl.5
-  Chrome
-  Pine
IGP 591 TA 79407 R10
-  Moss
IGP 591 TA 64445 R10
-  Terracotta
IGP 591 TA 83991 R10
-  Clay
IGP 591 TA 79406 R10
-  Oak Black laquered
(Square legs)
-  Mat white
RAL 9010
-  Beach
IGP 681 TA 77644 A 00
-  Olive
RAL 7042 gl. 5
-  Orange
IGP 681 TA 21349 A 00
-  Oriental Red
IGP 581 TA 33080 A 00
-  Jungle green
IGP 681 TA 64014 A 00
-  Aqua
S4020-B IGP 581 TA
52240 A 00
-  Oak Clear Matt laquered
(Square legs)



Introducing the FourSure® 90 – an elegant office stool designed to enhance various workspaces. With its sleek skid frame and stackable feature, this chair seamlessly combines style and function. Experience comfort and modern aesthetics that add a touch of warmth to your office. Available in a range of colors, the FourSure® 90 effortlessly fits any setting, from collaborative workstations to informal meeting spaces. Elevate your office space with the FourSure® 90, where style meets practicality in perfect harmony.

Technical specifications

WEIGHT

Polypropylene shell:
6,9 kg.

Seat pad:
7,8 kg.

Inside upholstery:
8,1 kg.

Fully upholstered:
7,6 kg.

Polypropylene shell with
wooden legs: 6,9 kg.

TEST

EN 16139:2013 -L2
EN 1021 - 1:2006
AFPS GS 2019:01 PAK
ANSI/BIFMA X5.1-2017

CERTIFICATION

Crafted from FSC certified
oak veneer.

STACKING QTY ON FLOOR

Without upholstery: 4 pcs.
Seat upholstery: 4 pcs.

(Please note: FourSure® 90
Wooden legs isn't stackable)

Materials

SHELL

Polypropylene with
reinforced glass fibre
(Skin: 15%, core: 40%),
recyclable.

SHELL UPHOLSTERY

9-11 layer veneer
beechwood (12 mm).
Glue veneer:
Gasco Adhesive 1272.

FOAM & GLUE

CMHR-65H Foam and
Glue (SABA Activator 3739,
Aquabond RSD 3801 blue).

FOAM THICKNESS

Seat upholstery: 15 mm.
Inside upholstered: 15 mm.
Fully upholstered: 20/10/5
mm.

FRAME, STEEL

Tube: Ø16 X 2 mm, Ducol 500.
Glides (standard): PA
Lock: ABS/Pa6

UPHOLSTERY PROTECTION


ABS

FRAME, WOOD SQUARE LEGS


Oak frame with clear matt
or black waterbased laquer
Glides (standard): PA

Dimensions


FourSure® 90, Polypropylene
shell




FourSure® 90 with seat pad




FourSure® 90 inner
upholstery



FourSure® 90 fully
upholstered




FourSure® 90, Polypropylene shell,
oak laquered legs (square)




Environmental data

Product environmental data can assist you in meeting the requirements for LEED, BREEAM, WELL, and SKA building certifications.


FOURSURE 90 PP SHELL




FOURSURE 90 PP SHELL SEAT PAD




FOURSURE 90 PP SHELL INNER UPHOLSTERED



FOURSURE 90 PP SHELL FULLY UPHOLSTERED



FOURSURE 90 PP SHELL OAK FRAME



CARBON FOOTPRINT

The carbon footprint (CO₂e) covers the full product life cycle, cradle-to-grave. Calculations follow the Product Environmental Footprint (PEF) methodology and are obtained using the MALBAR screening tool.

UPHOLSTERY

Please note that fabric is not included in the above figures.

Quality and environment

At Ocee & Four Design, we care about sustainability. We strive to reduce our impact by producing quality furniture in a sustainable manner. Find out more about our journey on [Oceeandfour.com](https://oceeandfour.com) ↗

COMPANY CERTIFICATIONS
ISO 9001
FSC Chain of Custody (License Code: FSC-C161956) FISP Full Membership

WARRANTY

Ocee & Four Design provides a 5-year warranty on all products within our price list. This warranty covers breakage and damage of products occurring because of deficient craftsmanship performance under normal use. The warranty shall lapse if the product shows signs of mishandling abuse or other physical damage. The warranty does not cover those parts of the product which are exposed to abrasion during use.

INSTRUCTIONS

Assembly instructions can be found at our website.

MAINTENANCE

Refer to our [Maintenance Guide](#) ↗

DISASSEMBLY & RECYCLING

Products should be disassembled and separated into their components and materials before recycling. Most products can be disassembled using hand tools. Metal parts are commonly

recycled. Powder coated frames are treated with a paint classified as not dangerous according to directive 1999/45/EF. Wood can either be recycled or incinerated. Plastic shells can be recycled. Upholstery and veneer shells are not recyclable but can be disposed of through incineration. Processes for recycling vary so check with your waste management organisation.