

# FourSure® 99

Design by Strand + Hvass

FACT SHEET / TECHNICAL & ENVIRONMENTAL SPECIFICATION



# FourSure® 99

Design by Strand + Hvass

## Product options

### VARIATIONS

- Polypropylene shell
- Seat pad
- Inside upholstery
- Fully upholstered

### OPTIONAL

- Felt glides
- Teflon glides
- Soft castors
- Return mechanism
- With tilt

### UPHOLSTERY

Can be upholstered in a broad range of upholstery fabrics, from our upholstery collection. Please visit our price list for further information.



### SHELL COLOUR

- |   |   |
|---|---|
|  Ebony Black<br>NCS S 9000-N   |  Snow<br>RAL 9010              |
|  Anthracite<br>RAL 7015        |  Beach<br>NCS S 2502-Y         |
|  Pine<br>NCS S 5005-B80G       |  Olive<br>NCS S 2040-G80Y      |
|  Moss<br>NCS S 5010-G70Y       |  Orange<br>NCS S 2070-Y70R     |
|  Terracotta<br>NCS S 4510-Y60R |  Oriental Red<br>NCS S 1580-R  |
|  Clay<br>NCS S 6005-Y10R       |  Jungle green<br>NCS 4050-G40Y |
|  Aqua<br>NCS S 4020-B          |   |

### FRAME COLOUR

- |  |   |
|--|---|
|  Aluminium              |  Mat Black<br>RAL 7021 |
|  Stone Grey<br>RAL 7039 |  Mat White<br>RAL 9010 |

Experience the perfect blend of design and comfort with the FourSure® 99. This versatile conference chair offers a V-shaped backrest, adaptable shell, and integrated tilt mechanism. Its refined starbase and elegant shell elevate the design to a new level of sophistication. Enjoy the benefits of a fixed office chair without wheels for added stability and style.

## Technical specifications

### WEIGHT

Polypropylene shell, with gas:  
7,7 kg  
Seat pad, with gas:  
8,6 kg  
Inside upholstery, with gas:  
9 kg  
Fully upholstery, with gas:

7,5kg  
Polypropylene shell, with gas  
and loop armrest:  
9,5 kg

### TEST

EN 16139:2013 - L1  
EN 1021-1:2014

## Materials

### SHELL

Polypropylene with reinforced glass fibre (Skin: 15%, core: 40%), recyclable.

### FOAM & GLUE

CMHR-65H Foam and Glue (SABA Activator 3739, Aquabond RSD 3801 blue).

### FOAM THICKNESS

Seat upholstery: 15 mm.  
Inside upholstery: 15 mm.  
Fully upholstery: 20/10/5 mm.

### FRAME, STEEL

Base: Aluminium  
Rockerbox (covers the tilt mechanism): Aluminium ADC-12  
Rubber chocks:  
Natural rubber  
Glides (standard): PA

### UPHOLSTERY PROTECTION

ABS

### CASTORS, SOFT


Ø52 mm with unloaded break\*. Black PE and PA6, steel and polished aluminium.

*\*For safety reasons, the chair's soft castors will be locked when not in use.*


*Please note: If you wish to have a chair equipped with both castors and a gas lift, it will come with a 5-star base.*

## Dimensions


FourSure® 99  
Polypropylene shell




FourSure® 99  
Seat pad



FourSure® 99  
Inside upholstery



FourSure® 99  
Fully upholstery



## Environmental data

Product environmental data can assist you in meeting the requirements for LEED, BREEAM, WELL, and SKA building certifications.

### FOURSURE 99 INNER UPHOLSTERED



#### RECYCLED CONTENT

3%

#### RECYCLABILITY


84%

#### CARBON FOOTPRINT

205

Kg CO<sub>2</sub>e per unit

#### MATERIAL BREAKDOWN



### FOURSURE 99 FULLY UPHOLSTERED



#### RECYCLED CONTENT

4%

#### RECYCLABILITY


89%

#### CARBON FOOTPRINT

216

Kg CO<sub>2</sub>e per unit

#### MATERIAL BREAKDOWN



#### CARBON FOOTPRINT

The carbon footprint (CO<sub>2</sub>e) covers the full product life cycle, cradle-to-grave. Calculations follow the Product Environmental Footprint (PEF) methodology and are obtained using the MALBAR screening tool.

#### UPHOLSTERY

Please note that fabric is not included in the above figures.

## Quality and environment

At Ocee & Four Design, we care about sustainability. We strive to reduce our impact by producing quality furniture in a sustainable manner. Find out more about our journey on [Oceeandfour.com](https://oceeandfour.com) ↗

#### COMPANY CERTIFICATIONS

ISO 9001  
ISO 14001  
FSC Chain of Custody  
(License Code: FSC-C161956) FISP Full Membership

#### WARRANTY

Ocee & Four Design provides a 5-year warranty on all products within our price list. This warranty covers breakage and damage of products occurring because of deficient craftsmanship performance under normal use. The warranty shall lapse if the product shows signs of mishandling abuse or other physical damage. The warranty does not cover those parts of the product which are exposed to abrasion during use.

#### INSTRUCTIONS

Assembly instructions can be found at our website.

#### MAINTENANCE

Refer to our [Maintenance Guide](#) ↗

#### DISASSEMBLY & RECYCLING

Products should be disassembled and separated into their components and materials before recycling. Most products can be disassembled using hand tools. Metal parts are commonly

recycled. Powder coated frames are treated with a paint classified as not dangerous according to directive 1999/45/EF. Wood can either be recycled or incinerated. Plastic shells can be recycled. Upholstery and veneer shells are not recyclable but can be disposed of through incineration. Processes for recycling vary so check with your waste management organisation.