FourSure® 77

Design by Strand + Hvass





FourSure®77

Design by Strand + Hvass

Product options

VARIATIONS

- $\cdot \ \mathsf{Polypropylene} \ \mathsf{shell}$
- Seat pad
- · Inside upholsterv
- · Fully upholstered

OPTIONAL

Armrest Grip hole

UPHOLSTERY

Can be upholstered in a broad range of upholstery fabrics, from our upholstery collection. Please visit our price list for further information



SHELL COLOUR





Pine NCS S 5005-B80G

Moss NCS S 5010-G70Y

Terracotta NCS S 4510-Y60R

Clay NCS S 6005-Y10R

Aqua NCS S 4020-B Snow RAL 9010

Beach NCS S 2502-Y

Olive NCS S 2040-G80Y

Orange NCS S 2070-Y70R

Oriental Red NCS S 1580-R

Jungle green NCS 4050-G40Y Presenting the FourSure® 77, a stacking chair on castors that redefines versatility and efficiency in any setting. Its innovative design allows for swift reconfiguration, making it an ideal choice for dynamic environments. What sets it apart is the enduring comfort and timeless design of the classic FourSure® shell, creating a seamless fusion of function and aesthetics. Elevate your space with the FourSure® 77 – where adaptability meets comfort in perfect union.

FRAME COLOUR

Mat Black RAL 7021

Stone Grey RAL 7039

Anthracite RAL 7024 gl.5

Chrome

Pine IGP 591 TA 79407 R10

Moss IGP 591 TA 64445 R10

Terracotta IGP 591 TA 83991 R10

Clay IGP 591 TA 79406 R10 Mat white RAL 9010

Beach IGP 681 TA 77644 A 00

Olive RAL 7042 gl. 5

Orange IGP 681 TA 21349 A 00

Oriental Red IGP 581 TA 33080 A 00

Jungle green IGP 681 TA 64014 A 00

Aqua S4020-B IGP 581 TA 52240 A 00



Technical specifications

WEIGHT

Polypropylene shell: 6 kg.

Seat pad: 6,9 kg.

Inside upholstery:

7,3 kg.

Fully upholstered:

6,8 kg.

Polypropylene shell with armrest: 7,5 kg.

EN 16139:2013 -L2 EN 1021 - 1:2006

STACKING QTY ON FLOOR

Without upholsetry: 7 pcs. Seat upholstery: 5 pcs.

Materials

SHELL

Polypropylene with reinforced glass fibre (Skin: 15%, core: 40%), recyclable.

SHELL UPHOLSTERY

9-11 layer veneer beechwood (12 mm). Glue veneer: Gasco Adhesive 1272.

FOAM & GLUE

CMHR-65H Foam and Glue (SABA Activator 3739, Aquabond RSD 3801 blue).

FOAM THICKNESS

Seat upholstery: 15 mm. Inside upholstered: 15 mm. Fully upholstered: 20/10/5

FRAME, STEEL

Tube: Ø16 X 2 mm, Ducol 500. Glides (standard): PA Lock: ABS/Pa6

UPHOLSTERY PROTECTION

ABS

Dimensions

FourSure® 77, Polypropylene

FourSure® 77 with seat pad

FourSure® 77, Polypropylene









Environmental data

Product environmental data can assist you in meeting the requirements for LEED, BREEAM, WELL, and SKA building certifications.

FOURSURE 77 PP SHELL




FOURSURE 77 PP SHELL SEAT PAD



FOURSURE 77 PP SHELL INNER UPHOLSTERED



FOURSURE 77 PP SHELL FULLY UPHOLSTERED





The carbon footprint (CO_2e) covers the full product life cycle, cradle-to-grave. Calculations follow the Product Environmental Footprint (PEF) methodology and are obtained using the MALBAR screening tool.

₩ UPHOLSTERY

Please note that fabric is not included in the above figures.



Quality and environment

At Ocee & Four Design, we care about sustainability. We strive to reduce our impact by producing quality furniture in a sustainable manner. Find out more about our journey on Oceefour.com A

COMPANY CERTIFICATIONS

ISO 9001 ISO 14001 FSC Chain of Custody (License Code: FSC-C161956) FISP Full Membership

WARRANTY

Ocee & Four Design provides a 5-year warranty on all products within our price list. This warranty covers breakage and damage of products occurring because of deficient craftsmanship performance under normal use. The warranty shall lapse if the product shows signs of mishandling abuse or other physical damage. The warranty does not cover those parts of the product which are exposed to abrasion during use.

INSTRUCTIONS

Assembly instructions can be found at our website.

MAINTENANCE Refer to our

Maintenance Guide ↗

DISASSEMBLY & RECYCLING

Products should be disassembled and separated into their components and materials before recycling. Most products can be disassembled using hand tools. Metal parts are commonly recycled. Powder coated frames are treated with a paint classified as not dangerous according to directive 1999/45/EF. Wood can either be recycled or incinerated. Plastic shells can be recycled. Upholstery and veneer shells are not recyclable but can be disposed of through incineration. Processes for recycling vary so check with your waste management organisation.

