

Share Bench

Design by Strand + Hvass

FACT SHEET / TECHNICAL & ENVIRONMENTAL SPECIFICATION



Share Bench

Design by Strand + Hvass

Product options

VARIATIONS

Steel frame:
L100 cm, L120 cm and
L160 cm

*Visible fastners in the seat
will match the colour of the
steel legs.*

Wooden frame:
L100 cm, L120 cm and
L160 cm

*Visible fastners in the seat
are available in black, white
and Stone Grey.*

Optional: Seat pad
or fully upholstered

Acoustic glides as standard.

OPTIONAL

Felt glides

UPHOLSTERY

Can be upholstered in a
broad range of upholstery
fabrics, from our upholstery
collection. Please visit our
price list for further infor-
mation.



SHELL COLOUR

 31 / Oak

 32 / Oak black

FRAME COLOUR

 **B (02)** / Mat Black
RAL 7021

 **C (01)** / Mat white
RAL 9010

 **K (03)** / Stone Grey
RAL 7039

 **U** / Oak Lacquered

 **V** / Oak Lacquered
black

Let's take bench-warming to another level! Comprised of the most beautiful bent oak, this bench oozes elegance and style. This piece will bring warmth to your hall, your canteen, or your staff break-out area. Space-saving as well as functional; this bench comes with a variety of upholstery options for extra comfort. Base options and choice of upholstery: we will leave it up to your imagination.

Technical specifications

DIMENSIONS

L100 cm:
H: 475 mm
SH: 461 mm*
D: 394 mm
W: 1000 mm

L120 cm:
H: 475 mm
SH: 461 mm*
D: 394 mm
W: 1200 mm

L160 cm:
H: 475 mm
SH: 461 mm*D: 394 mm
W: 1600 mm

*Seat pad / fully
upholstery + 40 mm.

WEIGHT

Steel frame:
L100: 6,2 kg
L120: 7 kg
L160: 7,2 kg

Steel frame/Seat pad:

L100: 7,1 kg
L120: 8,1 kg
L160: 10,3 kg

Steel frame/Seat upholstery:

L100: 6,8 kg
L120: 7,6 kg
L160: 9,8 kg

Wooden frame:

L100: 6,1 kg
L120: 7 kg
L160: 6,6 kg

Wooden frame/Seat pad:

L100: 6,9 kg
L120: 7,9 kg
L160: 7,5 kg

Wooden frame/Seat upholstery:

L100: 8,8 kg
L120: 10,2 kg
L160: 9,6 kg

TEST

Steel frame:
EN 16139:2013, L2
EN 1022:2005, L2

Wooden frame:
N/A

CERTIFICATION

Crafted from FSC certified
wood.

Materials

SHELL VENEER

Curved plywood, oak veneer
with waterbased clear or
black lacquer.

Glue: Gasco Adhesive 1272.

SHELL UPHOLSTERY

Curved plywood, 9-11 layer
birch veneer (10 mm).

CMHR or HR foam.

Seat pad, thickness: 15 mm.

Seat upholstery, thickness:
40 mm.

Glue: SABA Activator 3739,
Aquabond RSD 3801 blue.

FRAME STEEL

Tube: \varnothing 22 x 2 mm, EN10305-
3, E195.

Acoustic glides: PE, TPE & PA.


FRAME, WOOD

Matt lackiert Eichenholz /
Schwarz lackiert Eichenholz.
(Gefertigt aus FSC-Mix-zerti-
fiziertem Holz)


Acoustic glides: PE, TPE & PA.

Dimensions


Share Bench L100 cm, Steel frame




Share Bench L100 cm, Wooden frame




Share Bench L120 cm, Steel frame




Share Bench L120 cm, Wooden frame



Share Bench L160 cm, Steel frame



Share Bench L160 cm, Wooden frame



Quality and environment

At Ocee & Four Design, we are aware of our environmental responsibility. We strive to reduce our company, and our customer's impact on the environment by producing quality furniture in a sustainable manner.

PROCUREMENT
We procure materials from responsible suppliers who comply with our high standards, ensuring that the materials are sustainably sourced and managed, conforming to applicable laws and regulations such as legal logging and chemical restrictions.

PRODUCTION
We are ISO14001 certified, guaranteeing excellent environmental standards of our manufacturing sites.

WARRANTY
Ocee & Four Design provides a 5-year warranty on all products within our price list. This warranty covers breakage and damage of products occurring because of deficient craftsmanship performance under normal use. The warranty shall lapse if the product shows signs of mishandling abuse or other physical damage. The war-

ranty does not cover those parts of the product which are exposed to abrasion during use.

INSTRUCTION
Instructions can be found at our website.

MAINTENANCE
We kindly refer to our [Maintenance Guide](#)

RECYCLING
We are working towards the aim for all our products to be minimum 95% recyclable. Products must be separated into their components

and disposed of separately. All metal parts can be disposed of and recycled by an approved organisation. Lacquered frames are treated with a paint classified as not dangerous according to directive 1999/45/EF.

Wood can either be recycled or incinerated. Plastic shells can be recycled. The shell will be granulated and reused in new plastic production. Upholstery and veneer shells are not recyclable but can be disposed of by incineration.

Environmental data

The carbon footprint (Co²e) is obtained through a full life-cycle assessment of our products, utilising the Product Environmental Footprint (PEF) methodology. The results are obtained through a self-assessment using the MÅLBAR software and are for internal use and project basis only.

Please note that carbon footprint calculations are inherently complex and involve various assumptions, uncertainties, and limitations. Results should be used as a general indicator and not considered as absolute values. Our aim is to provide an estimate of the carbon footprint associated with our furniture and raise awareness about its environmental impact throughout its entire life cycle, from cradle to grave.



SHARE BENCH L100 STEEL/OAK FRAME	RECYCLE CONTENT	RECYCAL- BILITY	CO ² e /KG
Oak veneer seat	8 %	100 %	TBA



SHARE BENCH L120 STEEL/OAK FRAME	RECYCLE CONTENT	RECYCAL- BILITY	CO ² e /KG
Oak veneer seat	7 %	100 %	TBA



SHARE BENCH L160 STEEL/OAK FRAME	RECYCLE CONTENT	RECYCAL- BILITY	CO ² e /KG
Oak veneer seat	10 %	100 %	TBA