



Product / Standard	Expected Lifetime	Non-domestic seating EN 16139	Non-domestic tables EN 15372	Furniture tables EN 1730	Chairs/tables education EN 1729	Furniture seating EN 1728	Office work chair EN 1335
Four Cast2							
Four Cast2 Four	10 years (25)	Level 2				Requirement EN 16139	
Four Cast2 Four armrest	10 years	Level 2				Requirement EN 16139	
Four Cast2 Four Loop	5 years	Level 1				Requirement EN 16139	
Four Cast2 Four veneer shell	10 years	Level 2				Requirement EN 16139	
Four Cast2 Four edged wooden legs	5 years	Level 2				Requirement EN 16139	
Four Cast2 Four High	10 years (25)	Level 2				Requirement EN 16139	
Four Cast2 Four Counter	10 years (25)	Level 2				Requirement EN 16139	
Four Cast2 77	5 years	Level 1				Requirement EN 16139	
Four Cast2 77 armrest	5 years	Level 1				Requirement EN 16139	
Four Cast2 Line	5 years (25)	Level 1				Requirement EN 16139	
Four Cast2 Line armrest	5 years	Level 1				Requirement EN 16139	
Four Cast2 Counter	10 years (25)	Level 2				Requirement EN 16139	
Four Cast2 High	10 years (25)	Level 2				Requirement EN 16139	
Four Cast2 Wheeler FC + RB	10 years	Level 2				Requirement EN 16139	Section 4.3 stability

Four Cast 2 Wheeler FC + RB, large 5-star base, castors with brake and spec. gascyl.	10 years	Level 2				Requirement EN 16139	Requirement EN 16139
Four Cast2 One	5 years	Level 1				Requirement EN 16139	
Four Cast2 One Loop	5 years	Level 1				Requirement EN 16139	
Four Cast2 Evo	10 years						
Four Cast2 Evo Loop	5 years						
Four Cast2 XL	10 years	Waiting for a new star base			4 star base	Waiting for a new star base	Waiting for a new star base
Four Cast2 XL+	10 years	Waiting for a new star base			4 star base	Waiting for a new star base	Waiting for a new star base
Four Cast2 Lounge	10 years						
Four Cast2 Audi	10 years						
Four Sure							
Four Sure 44	50 years (25)	Level 2				Requirement EN 16139	
FourSure 44 upholstered	10 years (25)	Level 2				Requirement EN 16139	
Four Sure 44 armrest	10 years	Level 2				Requirement EN 16139	
Four Sure 44 Loop	5 years	Level 1				Requirement EN 16139	
Four Sure 44 Round wooden legs							
Four Sure 44 Edged wooden legs	5 years	Level 1				Requirement EN 16139	
Four Sure 77	5 years	Level 1				Requirement EN 16139	
Four Sure 77 armrest	5 years	Level 1				Requirement EN 16139	
Four Sure 88	5 years (25)	Level 1				Requirement EN 16139	
Four Sure 88 armrest	5 years	Level 1				Requirement EN 16139	
Four Sure 90	10 years (25)	Level 2				Requirement EN 16139	
Four Sure 90 Edged wooden legs	5 years	Level 1				Requirement EN 16139	

Four Sure 105	10 years (25)	Level 2				Requirement EN 16139	
Four Sure 105 Edged wooden legs	5 years	Level 1				Requirement EN 16139	
Four Sure 66 FC + RB	10 years	Level 2				Requirement EN 16139	Section 4.3 stability
Four Sure 66 FC + RB, large 5 star base, castors w. brake and spec. gascyl.	10 years	Level 2				Requirement EN 16139	Requirement EN 16139
Four Sure 11	5 years	Level 1					
Four Sure 11 Loop	5 years	Level 1					
Four Sure 99	10 years	Level 2					
Four Sure 99 Loop	5 years	Level 2					
FourMe							
FourMe 11	5 years						
FourMe 44	5 years	Level 1				Requirement EN 16139	
FourMe 66	10 years						
Four Me 66 FC + RB, large 5 star base, castors w. brake and spec. gascyl.	10 years	Level 1					
FourMe 88	10 years	Level 1				Requirement EN 16139	
FourMe 99	10 years						
Share							
Basic	10 years, testet 25 int	Level 2					
Move	10 years	Level 2					
Share Bench counter 160 cm	10 years	Level 2					
FourAll + sofas							
Lounge 1 Seater High back		Level 2				Requirement EN 16139	
Lounge 1 Seater Low back		Level 2				Requirement EN 16139	

Lounge 2 Seater Low Back	In progress						
Stool 2 Seater High Back		Level 2				Requirement EN 16139	
Stool 2 Seater Low Back		Level 2				Requirement EN 16139	
FourPeople	10 years	Level 2				Requirement EN 16139	
FourLikes	5 years	Level 1				Requirement EN 16139	
Harc 2 seater	10 years	Level 2				Requirement EN 16139	
Stools and Benches							
FourStools 74	10 years	Level 2				Requirement EN 16139	
FourStools 90	10 years	Level 2				Requirement EN 16139	
FourStools 105	10 years	Level 2				Requirement EN 16139	
FourStools 74 wooden legs	5 years	Level 1				Requirement EN 16139	
FourStools 90 wooden legs	5 years	Level 1				Requirement EN 16139	
FourStools 105 wooden legs	5 years	Level 1				Requirement EN 16139	
FourSeating Benches tube legs, 160 - 120 - 100 cm	10 years	Level 2				Requirement EN 16139	
FourSeating Benches wooden legs, 160 - 120 - 100 cm	5 years						
Tables							
Four Learning 64 x 120, 70 x 140	10 years		Level 2	Requirement EN 15372			
Four Eating elipse 140 x 120	10 years		Level 2	Requirement EN 15372			
Four Eating Ø 120	10 years		Level 2	Requirement EN 15372			
Four Eating ½ Ø 120	10 years		Level 2	Requirement EN 15372			
Four Eating 80 x 160, 180	10 years		Level 2	Requirement EN 15372			
Four Eating 80 x80, 120, 160	10 years		Level 2	Requirement EN 15372			

Four Eating T stel 180 X 80	10 years		Level 3	Requirement EN 15372			
Four Meeting 140 x 120	10 years		Level 2	Requirement EN 15372			
Four Mat							
Four Standing 180 X 80	10 years		Level 2	Requirement EN 15372			
Four Standing 180 x 60	10 years		Level 3	Requirement EN 15372			
Four Resting Ø 70	10 years		Level 2	Requirement EN 15372			
Four Real 74	10 years		Level 3	Requirement EN 15372			
Four Real 90	10 years		Level 2	Requirement EN 15372			
Four Real 105	10 years		Level 2	Requirement EN 15372			
Four Real 741 200 X 100	10 years		Level 3	Requirement EN 15372			
Four Real 741 140 X 100	10 years		Level 3	Requirement EN 15372			
Four Real Ø 120	10 years		Level 3	Requirement EN 15372			
Four Real Fixed - All size	10 years		Level 2	Requirement EN 15372			
Four Real Flake Diamond	10 years		Level 3	Requirement EN 15372			
Four Real Flex - All size	10 years		Level 2	Requirement EN 15372			
Four Fold	10 years		Level 2	Requirement EN 15372			
Four Real A 74 + 90	10 years		Level 2	Requirement EN 15372			
Four Real A 74 + 90 XL	10 years		Level 2	Requirement EN 15372			
Four Real Flex - All size	10 years		Level 2	Requirement EN 15372			
Other products							
G2	10 years (25)						
Klip							

Inno®Pod							
Inno®Tab	10 years	Level 2				Requirement EN 15372	
Inno®Note							
Four US	10 years	Level 2				Requirement EN 16139	
Four US Solo m skriveplade	10 years	Level 2				Requirement EN 16139	
Outdoor							

--	--	--	--	--	--	--	--	--	--




Screens 1023	EN	Stability EN 1022	Fire test EN 1021-1	Fire test DIN 54341	GS	FSC	Scratch test SIS 839117	Heat Test 65 °	Specular gloss ISO 2813	Chemical PAH
		Requirement EN 16139	Polyamidshell	Special shell Only white						Shell and armrests
		Requirement EN 16139	Polyamidshell	Special shell Only white						Shell and armrests
		Requirement EN 16139	Polyamidshell	Special shell Only white						Polyamidshell
		Requirement EN 16139								Polyamidshell
		Requirement EN 16139	Polyamidshell + Ecolabelshell							Polyamidshell
		Requirement EN 16139	Polyamidshell	Special shell Only white						Polyamidshell
		Requirement EN 16139	Polyamidshell	Special shell Only white						Polyamidshell
		Requirement EN 16139	Polyamidshell	Special shell Only white						Polyamidshell
		Requirement EN 16139	Ecolabel	Special shell Only white						Shell and armrests
		Requirement EN 16139	Polyamidshell	Special shell Only white						Polyamidshell
		Requirement EN 16139	Polyamidshell	Special shell Only white						Shell and armrests
		Requirement EN 16139	Polyamidshell	Special shell Only white						Polyamidshell
		Requirement EN 16139	Polyamidshell	Special shell Only white						Polyamidshell
		Requirement EN 16139	Polyamidshell	Special shell Only white						Polyamidshell

	Requirement EN 16139	Polyamidshell + Ecolabelshell		Update on the way					Polyamidshell
	Requirement EN 16139								Polyamidshell
		Polyamidshell + Ecolabelshell							Polyamidshell
		Polyamidshell + Ecolabelshell							Polyamidshell
		Polyamidshell + Ecolabelshell							Polyamidshell
		Polyamidshell + Ecolabelshell							Shell and armrests
		Polyamidshell + Ecolabelshell							Polyamidshell
		Polyamidshell + Ecolabelshell							Shell and armrests
		Bioshell							Shell
	Requirement EN 16139	Bioshell							Shell
		Bioshell							Shell
		Bioshell							Shell
	Requirement EN 16139	Bioshell							Shell
		Bioshell							Shell
	Requirement EN 16139								
	Requirement EN 16139								

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]